

# 10mm Athlon Compact Locker Collection





## ATHLON LOCKER COLLECTION

Education

Sport

Public Sector

Transport

Retail

Manufacturing

Compact 10mm. The ultimate material choice for the most demanding applications. High impact strength and water resistance.

Large Format sheets 3660x1600mm as standard. Perfect optimisation for standard locker dimensions. Greater yield = minimal wastage and reduced costs.

### Composition of Compact sheets:

≈70% Paper ≈30%
Thermosetting Resins



Excellent moisture resistance



Great impact resistance



Scratch and wear-resistant



Light fastness




Ease of maintenance and cleaning



Hygiene

Most important characteristics according to the EN 438 classification for Compact Grade Laminate.

### Compact 10 mm



### Visual awareness:

To assist the partially sighted, visual contrasts, between adjacent surfaces in a Locker storage environment are necessary. This contrast is measured by the Light Reflectance or LRV value of colours as noted in the product availability table and colour selector. To ensure that surfaces such as doors are easily detected, the Act specifies that there should, ideally, be clear separation of 30 LRV points between the two surface colours.





## 10mm Athlon Compact Colour Selector

### PLAIN COLOURS, WOODS & ABSTRACTS

**Decor Selection** 

Format Thickness Finish Grade Euroclass

3660 x 1600 mm 10 mm

 $\mathsf{Erre}, (\,\mathsf{R}\,)$ 

CGS - Compact Grade Standard C,s1-d0 - Fire Classification



| Code          | Name                   | LRV               | Compact 10 mm | Colour referencing |           |             | Athlon Washroom Collection Match |           |           |
|---------------|------------------------|-------------------|---------------|--------------------|-----------|-------------|----------------------------------|-----------|-----------|
|               |                        | Light Refelctance | 3660X1600     | RAL                | Pantone   | NCS         | 4300x1850                        | 4200X1600 | 3050x1300 |
|               |                        | Value             | (mm)          |                    |           |             | 12.7mm                           | 0.8mm     | 0.8mm     |
| PLAIN COLOURS |                        |                   |               |                    |           | *2150x1850  |                                  |           |           |
| 0001          | Bianco                 | 82                |               | 9016               | 10A01(BS) | S 0500-N    |                                  |           |           |
| 0211          | Grigio Perla           | 43                |               | 7038               | 428U      | S 2502-B    | •                                | •         | •         |
| 0623          | Grigio Ferro           | 8                 |               |                    | 432U      | S 7500-N    |                                  |           | •         |
| 0607          | Lavanda                | 29                |               |                    | 543U      | S 2030-R90B | •                                |           |           |
| 0605          | Glicine                | 31                |               |                    | 529U      | S 2040-R50B |                                  |           | •         |
| 0594          | Fuscia                 | 9                 |               | 4006               | 247U      | S 2060-R30B |                                  | •         | •         |
| 0561          | Rosso Devil            | 10                |               | 3020               | 186C      | S 1080-Y90R |                                  |           |           |
| 0644          | Turchese Pastello      | 36                |               | 6034               | 5493U     | S 2020-B50G |                                  | -         |           |
| 0647          | Giallo Bisanzio        | 51                |               | 1018               | 129C      | S 0580-Y    |                                  |           |           |
| 0660          | Verde Acido            | 43                |               |                    | 375C      | S 0570-G30Y |                                  |           |           |
| 0569          | Blu Valencia           | 29                |               |                    |           |             | 0                                | 0         | 0         |
| 0682          | Arancio                | 38                |               |                    | 1375C     | S 0570-Y50R |                                  |           |           |
| 0711          | Blu Baia               | 12                |               | 5015               |           | S 3050-R90B |                                  | •         |           |
| 0509          | Nero                   | 0.39              |               | 9004               | Black C   | S 9000-N    |                                  |           |           |
| WOODS         |                        |                   |               |                    |           |             |                                  |           |           |
| T202          | W74-01 Oak             | 35                | •             |                    |           |             | 0                                | 0         | 0         |
| 1852          | Faggio Giapponese      | 38                |               |                    |           |             |                                  | •         | Ĭ         |
| 4390          | Zebrano Naturale       | 20                |               |                    |           |             | - I                              | -         |           |
| 4511          | Rovere Fumo            | 22                | _             |                    |           |             | 0                                | 0         | 0         |
| 4327          | Acero Italiano         | 61                | •             |                    |           |             | •                                | •         | i         |
|               |                        |                   |               |                    |           |             |                                  |           |           |
| ABSTRACTS     | S                      |                   |               |                    |           |             |                                  |           |           |
| 0997          | Selenio Nero           | 4                 | •             |                    |           |             |                                  | •         |           |
| 3194          | Colorlam Bianco        | 63                |               |                    |           |             |                                  |           |           |
| 9131          | Spot Lavanda           | 25                |               |                    |           |             |                                  | •         |           |
| 9133          | Spot Turchese Pastello | 30                |               |                    |           |             |                                  |           | •         |
|               |                        |                   |               |                    |           |             |                                  |           |           |

- Standard Stock Item
- O Please check availability, subject to lead-time & MOQ
- \* Half Sheets available in Washroom Collection Check availability

The LRV shown in this table have been measured in the Arpa Industriale Laboratory, in accordance with EN 13721/04.

### **Relevant NBS Specification Clauses**

K13 Rigid Sheet fine linings / panels

K30 Panel Partitions

K32 Panel Cubicles

L20 Doors

N10 General Fixtures & Fittings

RAL, NCS & Pantone references are the nearest equivalents and should be verified visually

NB: Due to colour limitations when printing and viewing digitally we recommend viewing actual samples prior to sensitive project requirements





Greenguard - Indoor Air Quality - Guaranteed

The GREENGUARD Environmental Institute is an industry independent, third-party certification organization that qualifies products for low chemical emissions (VOC's).

Arpa high pressure laminates have been certified according to the GREENGUARD Indoor Air Quality Certification Program and the higher GREENGUARD Children & Schools Certification Program.

### Distributed by:



Inspired Surfaces Limited Redmoor Link Wimblington Drive Redmoor Milton Keynes Buckinghamshire MK6 4AH

Tel: +44 (0) 1908 711952 Fax: +44 (0) 845 0710784 Email: sales@inspiredsurfaces.co.uk Web: www.inspiredsurfaces.co.uk



#### Disclaimer

The disclaimer that follows is a summary of the applicable full disclaimer (which can be found on arpaindustriale.com). The information provided by Arpa Industriale S.p.A. (Arpa) in this document is solely indicative. Arpa is unable to warrant the accuracy and completeness of this information. No rights can be derived from the information provided; the use of the information is at the other partyis risk and responsibility. This document does not guarantee any properties of Arpaís products. Arpa does not warrant that the information in this document is suitable for the purpose for which it is consulted by the other party. The document does not contain any design, structural calculation, estimate or other warranty or representation that customers and third parties may rely on. Colours included in Arpa's communications (including but not limited to printed matter) and in samples of Arpais products may differ from the colours of the Arpa's products to be supplied. Arpa's products and samples are produced within the specified colour tolerances and the colours (of production batches) may differ, even if the same colour is used. The viewing andle also influences the colour perception. Customers

and third parties must have a professional adviser inform them about (the suitability of) Arpa's products for all deisred applications and about applicable laws and regulations. Arpa reserves the right to change (the specifications for) its products without prior notice. To the maximum extent permitted under applicable law, Arpa is not liable (neither contractual nor non-contractual) for any damage arising from or related to the use of this document, except if and to the extent that such damage is the result of wilful misconduct or gross negligence on the part of Arpa and/or its management. All oral and written statements, offers, quotations, sales, supplies, deliveries and/or agreements and all related activities of Arpa are governed by the General Terms and Conditions of Arpa Industriale S.p.A. All oral and written statements, offers, quotations, sales, supplies, deliveries and/or agreements and all related work of Arpa USA Inc. (Arpa USA) are governed by the Arpa USA General Terms and Conditions of Sale. All intellectual property rights and other rights regarding the content of this document (including logos, text and photographs) are owned by Arpa and/or its licensors.